




Contents

Diamond White wall cladding system	5 - 6
Diamond Ambience wall cladding system	7 - 8
Diamond Radiance wall cladding system	9 - 10
Diamond Brilliance wall cladding system	11 - 12
Resilience Textured wall cladding sheets	13 - 14
Essence Woodgrain wall cladding sheets	15 - 16
Gallery Printed wall cladding sheets	17 - 18







Complete wall cladding systems

For environments that demand hygiene and all-round protection, our complete wall cladding systems are used throughout healthcare, mental health, leisure and commercial spaces.

We want to contribute to the success of your future projects. Our dedicated Project Consultants are available to discuss how Trovex can work best for you.


For further information, product recommendations or technical advise on any Trovex product please get in touch today.

Do you have any questions?



Trim, sealant and weld rod

Available in a range of matching or complimentary colours for our wall cladding sheet range.





Diamond White

A clean white finish for environments prioritising hygiene and simplicity.

	Ref:	Size:	Price:
Diamond white sheets	T10 / 25 / WHIT	E — 2500 x 1220 x 2.5 mm	
	T10 / 275 / WHIT	E — 2750 x 1220 x 2.5 mm	
	T10 / 30 / WHIT	E — 3000 x 1220 x 2.5 mm	
		_	
Joint profiles	T200 / 25 / WHIT	E — 2500 mm	
	T200 / 30 / WHIT	E — 3000 mm	
Transition profile	T201 / 25 / WHIT	E — 2500 mm	
Edge profiles	T202 / 25 / WHIT	E — 2500 mm	
	T202 / 30 / WHIT	E — 3000 mm	
Silicone sealant	TS306 / WHIT	E 310 ml	
Weld rod	TWR / 80 / WHIT	E —— 80 m	









Diamond White

Additional trims available only in Diamond White.

	Ref:	Size:
Corner profiles	T203 / 25 / WHITE —	— 2500 mm
	T203 / 30 / WHITE —	— 3000 mm
External angle	T205 / 3025 /WHITE-E	— 3050 x 25 x 25 mm
	T205 / 3050 /WHITE-E	— 3050 x 50 x 50 mm
Internal angle	T205 / 3025 /WHITE-I	— 3050 x 25 x 25 mm
	T205 / 3050 /WHITE-I	— 3050 x 50 x 50 mm





Diamond Ambience


A range of satin serene colours carefully selected to introduce calming optimism into environments that otherwise may be stressful.

	Ref:	Size:
Ambience sheets	T10 / 25 / COLOUR —	2500 x 1220 x 2.5 mm
	T10 / 30 / COLOUR —	3000 x 1220 x 2.5 mm
Joint profile	T200 / 30 / COLOUR —	3000 mm
Transition profile	T201 / 25 / COLOUR —	2500 mm
Edge profile	T202 / 30 / COLOUR —	3000 mm
Silicone sealant	TS306 / COLOUR —	310 ml
Weld rod	TWR / 80 / COLOUR —	80 m









These colours are for reference only and will not be accurate due to printing processes outside of our control.

Please request a complimentary sample if accuracy is important.

Request a free sample




Diamond Radiance


A range of refreshing colours selected to brighten and enhance spaces.

	Ref:	Size:
Radiance sheets	T10 / 25 / COLOUR —	- 2500 x 1220 x 2.5 mm
	T10 / 30 / COLOUR —	- 3000 x 1220 x 2.5 mm
Joint profile	T200 / 30 / COLOUR —	- 3000 mm
Transition profile	T201 / 25 / COLOUR —	- 2500 mm
Edge profile	T202 / 30 / COLOUR —	- 3000 mm
Silicone sealant	TS306 / COLOUR —	- 310 ml
Weld rod	TWR / 80 / COLOUR —	- 80 m









These colours are for reference only and will not be accurate due to printing processes outside of our control.

Please request a complimentary sample if accuracy is important.

Request a free sample




Diamond Brilliance

An exciting range of vivid, high gloss, colours selected to add excitement and pop.

	Ref:	Size:
Brilliance sheets	T10 / 25 / COLOUR	2500 x 1220 x 2.5 mm
	T10 / 30 / COLOUR	3000 x 1220 x 2.5 mm
Joint profile	T200 / 30 / COLOUR	3000 mm
Transition profile	T201 / 25 / COLOUR	2500 mm
Edge profile	T202 / 30 / COLOUR	3000 mm
Silicone sealant	TS306 / COLOUR	310 ml
Weld rod	TWR / 80 / COLOUR	80 m









These colours are for reference only and will not be accurate due to printing processes outside of our control.

Please request a complimentary sample if accuracy is important.

Request a free sample



Resilience Textured

A diverse range of colours enhanced with a texture to add extra resilience to impact.

 Ref:
 Size:
 Price:

 Resilience sheet
 T10 / 24 / COLOUR — 2440 x 1220 x 2 mm

Trims, sealants and weld rod are available in matching Diamond equivalent colours i.e. without resilience texture.


Joint profile T200 / 30 / COLOUR — 3000 mm

Transition profile T201 / 25 / COLOUR —— 2500 mm

Edge profile T202 / 30 / COLOUR — 3000 mm

Silicone sealant TS306 / COLOUR —— 310 ml

Weld rod TWR / 80 / COLOUR —— 80 m



These colours are for reference only and will not be accurate due to printing processes outside of our control.

Please request a complimentary sample if accuracy is important.

Request a free sample



Essence Woodgrain

Bring the beauty of nature inside with our range of satin woodgrain finishes.

	Ref:		Size:
Essence sheet	T10 / 24	/ COLOUR —	2440 x 1220 x 2.5 mm

Trims, sealants and weld rod are available in complimentary Diamond colours.

Joint profile T200 / 30 / COLOUR — 3000 mm

Transition profile T201 / 25 / COLOUR —— 2500 mm

Edge profile T202 / 30 / COLOUR — 3000 mm

Silicone sealant TS306 / COLOUR —— 310 ml

Weld rod TWR / 80 / COLOUR — 80 m



These colours are for reference only and will not be accurate due to printing processes outside of our control.

Please request a complimentary sample if accuracy is important.

Request a free sample



Gallery

Print PVC wall cladding laminated with a hard-wearing scratch-resistant coating for protection.

Ref: Size: **Gallery sheet T10 / 14** — **2440** × 1220 × 2.5

How to order Gallery

Required info:

- Size of the wall
- · High artwork
- Preferred installation date

To ensure the image looks its best, supplied artwork must be a minimum of 150 dpi (ideally 400 dpi) when used actual size. The colour ideally needs to be set to CMYK. Accepted formats are IPEG, TIFF, PDF, SVG, EPS, PSD and PNG.

- 1. Send the artwork in a high resolution format and the dimensions of the wall area.
- 2. We will return a proof, showing how the sections of the image will be printed along with an Order Acknowledgment.
- 3. Confirm the design meets expectations by signing the Order Acknowledgement and returning it to us.
- 4. The Trovex Gallery product will be delivered as per the dates on the Order Acknowledgement.

Trovex reserves the right to refuse printing of inappropiate or low resolution images.

Do you have any questions?



This image is for reference only and will not be accurate due to printing processes outside of our control.

Please request a complimentary sample if accuracy is important see the quality of Gallery.

Request a free sample



Get in touch

We want to contribute to the success of your future projects. Our dedicated Project Consultants are available to discuss how Trovex can work best for you.

For further information, product recommendations or technical advise on any Trovex product please get in touch today.

hello@trovex.com 01707 254 170 Trovex.com







Trovex is a registered trademark of Focus Trovex LLP
Innova House, 15 Rash's Green, Norfolk, NR19 1JG