
Hygienic wall cladding systems

2024 product guide





Contents

Overview 1

- System components 2
- Diamond wall cladding system 3 14
- Resilience textured wall protection 15 20
 - Essence woodgrain wall cladding 21 26
- Gallery bespoke printed wall cladding 27 32
 - Adhesive, sealants and cleaners 33
 - Tools and equipment 34


- Glossary 35
- Delivery 36
- One product family, one hygienic finish 37 38
 - Contact us 39

We specialise in practical, attractive and innovative solutions for education, leisure and healthcare projects. Our mission is to enhance the world's interior surfaces through innovation and technology.

Committed to three core values - reliability, competence and care - we're known for our integrity and dedication. We listen to your challenges and work with you to provide a solution that exceeds your expectations every time.

With substantial experience of many market sectors, we have a comprehensive understanding in each one. We're able to address unique challenges and develop effective solutions for these. You can be confident that you'll receive dedicated, relevant customer care.


We have a fully stocked UK warehouse with everything from sheet to colour matched trim, sealant and weld rod.





System components

Available in a range of matching or complimentary colours for our wall cladding sheet range.



See the Glossary on page 44 for an explanation of component use





Diamond wall cladding system

Boasting extraordinary strength and resistance to impact, moisture and chemicals, Trovex Diamond is used to effectively clad walls and ceilings, providing a low-maintenance and hygienic surface.

It is the versatility of Trovex Diamond, as well as its impressive range of benefits, that makes it such a successful material. With a range of applications, addressing the most complex requirements, it is thermoformed around corners, married up with stainless-steel surfaces, and used to create ultra-hygienic products such as Hygipod IPS and Hygidoor. The tough, long-lasting surface is impervious to impact, spills and stains. Offering exceptional durability, this is an investment that gives returns, year after year.

The complete system includes colour matched trims and weld rod, adhesive and silicone.

Diamond system benefits

We've formulated and developed the Diamond wall cladding system to be suited for all-round protection in environments that demand high hygiene standards.



Durable

Diamond wall cladding is resistant to cracking and splitting. It provides excellent protection against abrasion to maintain a hygienic surface that is easy to clean.



Hygienic

The smooth continuous surface is stain-resistant and very easy to wipe clean. It has great chemical resistance and can be cleaned with typical non-abrasive cleaning products and disinfectants.



20 year warranty

A 20 year warranty is offered across our range of Diamond wall cladding systems based on installation completed as per our installation instructions including full-coverage adhesives.



Long-lasting

Diamond wall cladding systems have been formulated to have long-lasting colour brilliance minimising any fading or staining.



Water resistant

Non-absorbent properties of Diamond provides a water resistant barrier to any substrate.



Stocked for next day delivery

All of our wall cladding sheets, trim, sealants, weld rods and more are fully stocked in our UK warehouse ready for next day delivery or a pre-arranged delivery direct to site.

Do you have any questions?





White Satin


A clean white finish for environments prioritising hygiene and simplicity.

	Ref:	Size:
Diamond white sheets	T10 / 25 / WHITE	
	T10 / 275 / WHITE	
	T10 / 30 / WHITE	3000 x 1220 x 2.5 mm
Joint profiles	T200 / 25 / WHITE	2500 mm
Joint promes	T200 / 30 / WHITE	
	12007 30 7 WHITE	Suu mm
Transition profile	T201 / 25 / WHITE	2500 mm
Edge profiles	T206 / 30 / WHITE	3000 mm
Silicone sealant	TS306 / WHITE	310 ml
Weld rod	TWR / 80 / WHITE	80 m



White Satin

Additional trims available only in White Satin.





Ambience Satin

A range of satin serene colours carefully selected to introduce calming optimism into environments that otherwise may be stressful.

	Ref:		Size:
Ambience sheets	T10 / 25	/ COLOUR	2500 x 1220 x 2.5 mm
	T10 / 30	/ COLOUR	3000 x 1220 x 2.5 mm
Joint profile	T200 / 30	/ COLOUR	3000 mm
Transition profile	T201 / 25	/ COLOUR	2500 mm
*			
Edge profile	T206 / 25	/ COLOUR	2500 mm
Silicone sealant	TS306	/ COLOUR	310 ml
Weld rod	TWR / 80	/ COLOUR	80 m

Calico	Mystique	Lilac	Pistachio	Stone	Dove	Almond	Azure
LRV-74	LRV-76	LRV-66	LRV-81	LRV-69	LRV-59	LRV-78	LRV-74
RAL 120-6	RAL 250 90 05	RAL 280 85 10	RAL 200 93 05	RAL 110-2	RAL 080 85 05	RAL 840-1	RAL 19-2

These colours are for reference only and will not be accurate due to printing processes outside of our control. RAL values are the closest equivalent. Please request a complimentary sample if accuracy is important.

Request a free sample



Radiance Satin

A range of refreshing colours selected to brighten and enhance spaces.

	Ref:	Size:
Radiance sheets	T10 / 25 / COLOUR	— 2500 x 1220 x 2.5 mm
	T10 / 30 / COLOUR —	3000 x 1220 x 2.5 mm
Joint profile	T200/30/COLOUR	3000 mm
Transition profile	T201/25/COLOUR	2500 mm
1		
Edge profile	T206/25/COLOUR	2500 mm
Silicone sealant	TS306 / COLOUR —	— 310 ml
Weld rod	TWR/80/COLOUR	— 80 m

Meadow	Limelight	Avocado	Jewel	Caribbean sea	Summer	Storm	Pacific	Petrol	Monsoon	Daydream	Fantasy	Emperor	Silver lining	Titanium
LRV-46	LRV-62	LRV-38	LRV-49	LRV-45	LRV-31	LRV-30	LRV-7	LRV-17	LRV-11	LRV-28	LRV-17	LRV-6	LRV-39	LRV-11
RAL 110 80 30	RAL 100 80 80	RAL 120 70 10	RAL 660-6	RAL 190 70 30	RAL 660-3	RAL 250 60 20	RAL 640-M	RAL 200 50 35	RAL 680-5	RAL 330 60 10	RAL 320 30 40	RAL 320 30 40	RAL 000 70 00	RAL 000 40 00

These colours are for reference only and will not be accurate due to printing processes outside of our control. RAL values are the closest equivalent. Please request a complimentary sample if accuracy is important.

Request a free sample



Brilliance Gloss

An exciting range of vivid, high gloss, colours selected to add excitement and pop.

	Ref:	Size:
Brilliance sheets	T10 / 25 / COLOUR	- 2500 x 1220 x 2.5 mm
	T10 / 30 / COLOUR	- 3000 x 1220 x 2.5 mm
Joint profile	T200/30/COLOUR	- 3000 mm
Transition profile	T201/25/COLOUR	- 2500 mm
Edge profile	T206/25/COLOUR	- 2500 mm
Silicone sealant	TS306 / COLOUR	- 310 ml
Weld rod	TWR/80/COLOUR	- 80 m



These colours are for reference only and will not be accurate due to printing processes outside of our control. RAL values are the closest equivalent. Please request a complimentary sample if accuracy is important.

Request a free sample

TROVEX





Resilience wall cladding system

In high-traffic areas, walls face the relentless challenge of impacts, scratches, and constant wear. Resilience is not just a protective layer; it's a resilient shield. With a lightly embossed finish, each panel is an armour against the daily rigours, offering a surface that resists the scuffs and marks, whilst also still being hygienic.

With a variety of colours to choose from, whether you want something subtle or bold, our Resilience fits right in. It's perfect for high-traffic areas in hospitals, restaurants, schools, and offices, where lots of people come and go. Easy to clean and maintain, it's a practical choice for keeping spaces neat and tidy.

Resilience has matching Diamond finishes available, meaning sheet, trim, weld rod and sealant can be coordinated.

Resilience system benefits

We've formulated and designed the Resilience wall cladding to be extra robust without compromising its hygienic performance thanks to its light embossing



Extra Durable

Resilience wall cladding is enhanced with a light emboss, increasing its resilience to scruffs and scratches through impact in high traffic areas.



Hygienic

The lightly embossed continuous surface is stain-resistant and very easy to wipe clean. It has great chemical resistance and can be cleaned with typical non-abrasive cleaning products and disinfectants.



20 year warranty

A 20 year warranty is offered across our range of Diamond wall cladding systems based on installation completed as per our installation instructions including full-coverage adhesives.



Long-lasting

Resilience cladding systems have been formulated to have long-lasting colour brilliance minimising any fading or staining.



Water resistant


Non-absorbent properties of Diamond provides a water resistant barrier to any substrate.



Stocked for next day delivery

All of our wall cladding sheets, trim, sealants, weld rods and more are fully stocked in our UK warehouse ready for next day delivery or a pre-arranged delivery direct to site.

Do you have any questions?



TROVEX


Resilience Textured wall protection

A diverse range of colours enhanced with a texture to add extra resilience to impact.

	Ref:		Size:
Resilience sheet	T10 / 24	/ COLOUR	- 2440 x 1220 x 2 mm

For colour matched trim, sealant and weld rod please match the Resilience finish with the Diamond equivalent. These are the same colour and are suitable to be used with Resilience sheet.

Diamond
Mystique
Pistachio
Azure
Summer
Jewel
Caribbean sea
Petrol
Pacific
Fantasy
Silver lining
Titanium
White
Stone
Almond



These colours are for reference only and will not be accurate due to printing processes outside of our control. RAL values are the closest equivalent. Please request a complimentary sample if accuracy is important.

Request a free sample



TROVEX

Essence woodgrain wall cladding

This exquisite range of wall cladding brings the timeless allure of woodgrain to your spaces, while offering the practical benefits of high-grade PVC. Each panel is crafted to mimic the intricate patterns and warm tones of real wood, creating a naturally beautiful environment.

Embrace the natural beauty and practicality of Essence. It offers an authentic wood appearance that adds organic sophistication to any space, crafted from robust PVC for exceptional durability against moisture and wear. This low-maintenance solution frees you from the hassles of staining and sealing, ensuring your walls remain effortlessly stunning. Whether in a modern office or healthcare environment, 'Essence' provides versatile application options. Plus, its lightweight panels ensure quick and easy installation, allowing for a swift transformation of your space. You get the perfect combination of elegance, durability, and ease.

Did you know?

Staff Only

The Trovex range of fire-rated doorsets, integrated plumbing systems and bed head trunking is wrapped in the same material.

Essence woodgrain benefits

We've carefully curated a range of woodgrain finishes that will enhance any environment with the natural beauty of woodgrain but the simplicity of a modern PVC finish.



Durable

Essence wall is resistant to cracking, splitting and is water resistant. It provides excellent protection against abrasion to maintain a hygienic surface that is easy to clean.



Hygienic

The continuous thermoformable surface is stain-resistant and very easy to wipe clean. It has great chemical resistance and can be cleaned with typical non-abrasive cleaning products and disinfectants.



20 year warranty

A 20 year warranty is offered across our range of Diamond wall cladding systems based on installation completed as per our installation instructions including full-coverage adhesives.



Long-lasting

Unlike real woodgrain panels there is no need to seal or stain the material. From installation it will maintain its appearance for many years to come.



Versatile

Thanks to the non-clinical appearance of Essence, it can be used in many spaces to enhance both appearance and hygiene.



Stocked for next day delivery

All of our wall cladding sheets, trim, sealants, weld rods and more are fully stocked in our UK warehouse ready for next day delivery or a pre-arranged delivery direct to site.

Do you have any questions?

TROVEX

Formulated for robustness, hygiene & appearance



Essence Woodgrain

Bring the beauty of nature inside with our range of satin woodgrain finishes.

 Ref:
 Size:

 Essence sheet
 T10 / 24 / COLOUR — 2440 x 1220 x 2.5 mm

(1) Trovex do not offer matching trim, silicone or weld rod for the Essence range. Depending on where the finish is being installed and how hygienically sensitive the area is, customers may choose to use a silicone join between sheets or a simple butt join.



These colours are for reference only and will not be accurate due to printing processes outside of our control. RAL values are the closest equivalent. Please request a complimentary sample if accuracy is important.

Request a free sample







Gallery printed wall cladding

With Gallery, the walls around you become more than just structures—they become canvases of inspiration. Embrace the blend of artistic expression and practical functionality. Gallery will redefine your space.

Gallery is your go-to for transforming any space with a touch of creativity and practicality. Our advanced printing brings every design to life, from vibrant illustrations for children's wards to elegant corporate landscapes, ensuring each detail shines. Not just a pretty face, our PVC cladding is tough, easy to clean, and perfect for busy spots like hospitals and schools. It's all about changing the vibe of a place, whether it's cheering up a classroom or bringing calm to a clinic. Plus, for businesses looking to make a mark, Gallery's customised wall art is a brilliant way to showcase your brand and leave a lasting impression.

For the imagery or illustrations, stock art can be purchased or freelancers commissioned.

Gallery wall cladding benefits

We've formulated and developed the Gallery wall cladding system to enable customers to enhance environments using images or illustrations without compromising on hygiene.



Durable

Printed onto our Diamond PVC and then protected with a specialist film for additional resilience, Gallery is resistant to scratches and scuffs.



Hygienic

The smooth continuous surface is stain-resistant and very easy to wipe clean. It has great chemical resistance and can be cleaned with typical non-abrasive cleaning products and disinfectants.



20 year warranty

A 20 year warranty is offered across our range of Diamond wall cladding systems based on installation completed as per our installation instructions including full-coverage adhesives.



Long-lasting

Gallery wall cladding systems have been formulated to have long-lasting colour brilliance minimising any fading or staining.



Water resistant

Non-absorbent properties of Diamond provides a water resistant barrier to any substrate.



2-3 week lead time

Diamond PVC is stocked and the printing of Gallery wall cladding takes place at our Norfolk manufacturing site.

Do you have any questions?



Formulated for durability, beauty and hygiene

Gallery

Print PVC wall cladding laminated with a hard-wearing scratch-resistant coating for protection.

	Ref:	Size:
Gallery sheet	T10 / 14	2440 x 1220 x 2.5

How to order Gallery

Required info:

- Size of the wall
- High quality artwork
- Preferred delivery date

To ensure the image looks its best, supplied artwork must be a minimum of 150 dpi (ideally 400 dpi) when used actual size. The colour ideally needs to be set to CMYK. Accepted formats are JPEG, TIFF, PDF, SVG, EPS, PSD and PNG.

- 1. Send the artwork in a high resolution format and the dimensions of the wall area.
- 2. We will return a proof, showing how the sections of the image will be printed along with an Order Acknowledgment.
- 3. Confirm the design meets expectations by signing the Order Acknowledgement and returning it to us.
- 4. The Trovex Gallery product will be delivered as per the dates on the Order Acknowledgement.

Trovex reserves the right to refuse printing of inappropriate or low resolution images.

(1) Trovex do not offer matching trim, silicone or weld rod for the Essence range. Depending on where the finish is being installed and how hygienically sensitive the area is, customers may choose to use a silicone join between sheets or a simple butt join.

Do you have any questions? hello@trovex.com / 01707 254 170



This image is for reference only and will not be accurate due to printing processes outside of our control. Please request a complimentary sample if accuracy is important see the quality of Gallery.

Request a free sample hello@trovex.com / 01707 254 170

Adhesives, sealants and cleaners

Essentials for effectively installing our range of wall cladding.

	Ref:	Size:
Adhesive	TB300 / 25	— 6.5 kg
	TB300 / 30	– 8.0 kg
	6.5kg for 2800 mm sheets or 8	kg for 3000 mm sheets.
Butyl tape	TB304 / 30	— 30 m
Welding underlay	TB305 / 40	— 40 m
Primer	TB311 / 50	- 500 ml
Silicone spray	TB310 / 500	— 500 ml
Clear seal silicone	TS306 / CLEAR	— 310 ml
	For colour seal silicones please	e see individual colour range.
Antistatic cleaner	T307 / 75	— 750 ml
Cleaner/thinner	T308 / 10	— 1 Ltr
	T308 / 50	— 5 Ltr





Tools and equipment

Selection of premium quality tools for wall cladding installation.

	Ref:	Size:
Mixing paddle	Т800	
Notched trowel	T7801	6 mm
Scraper	T803	75 mm
Rubber mallet	T809	
Skeleton gun	T811	
Panel roller	T816	
Thermoformer	THF30	- 3000 mm
Welding gun	T819 / HG23	
Round nozzle	T820	



- Welding nozzle T821
- Trimming knife T823
- Spare blade T824



Glossary

Sheet: A sheet of PVC material used to cover and protect walls, providing both aesthetic and functional benefits.

Joint profile: A 2-part system to join two wall cladding sheets, ensuring a smooth and continuous appearance.

Edge profile: A two-part system designed to neatly finish and protect the edges of a wall cladding sheet.

Corner profile: A profile used to cover and protect the corners where wall cladding sheets meet, ensuring a neat finish.

Transition profile: Used for creating a smooth transition between wall cladding and flooring, enhancing both aesthetics and safety.

External angle: A profile designed for connecting two wall cladding sheets at an external corner, providing a clean and angled join.

Internal angle: Used to join two wall cladding sheets in an internal corner, ensuring a neat and tidy angle.

Weld rod: A rod of PVC material used in the welding process to fuse cladding sheets together, creating a strong and seamless join.

Silicone sealant: A flexible, waterproof sealing material used to seal joints and edges in wall cladding, preventing moisture penetration and ensuring hygiene.

Satin finish: A wall cladding finish that offers a subtle sheen, less reflective than gloss, providing a sophisticated and contemporary look.

Gloss finish: A reflective, shiny finish on wall cladding that brightens spaces and is easy to clean.

Woodgrain finish: A wall cladding finish that mimics the look of wood, adding a natural and warm aesthetic to the cladding.

Wall cladding: A smooth wall cladding sheet for entire wall finishes that creates a hygienic and water resistant surface.

Wall protection: A textured wall cladding sheet for enhanced protection that is resistant to scratches and scuffs.



Deliveries nationwide

We have over ten Project Consultants nationwide ready to support you. At our two main facilities we have approaching one hundred staff. We have the facilities and expertise to support you regardless of size or complexity of the project.

Next-day delivery is available on all orders except for those that require our Gallery printing service, where we quote 2-3 lead time.

Majority of deliveries are direct to site with dedicated transport.

Contact us today on 01707 254 170 or email hello@trovex.com

East

London

North

South West

Midlands



One product family, **One hygienic finish**

Discover the complete Trovex range of products for hygiene focused spaces.



Hygidoor

Highly configurable PVC wrapped fire-rated door and frame, that is quick to install and is designed to be hygienic and robust for high traffic healthcare environments.



 1. Hygienic PVC finish
 2. Thermoformed edges
 3. Flush vision panels

 4. Triple glazed vision panels
 5. Goal-post frame system

Available in either non-fire rated, FD30, FD60 and lead line in double, single, leaf-and-a-half and bi-fold configurations. Frames and leading edges can be different to leaf colour.



Discover more at trovex.com/hygidoor



IPS that is pre-plumbed with sanitaryware, quick to install and hygienic. Available in many configurations including scrub, DOC M packages and more.



Thermoformed edges w/ minimal joins
 Hinged, lockable, access doors
 Pre-plumbed sanitaryware
 Hygienic PVC finish
 Plinth system

Available in various configurations including but not limited to clinical wash hand basin, scrub, sluice, shower, WC and more. Chimney breast, flat and sloping top form factors.



Discover more at trovex.com/hygipod-ips



Secure, hinged, customisable doors
 Pre-installed gas terminals / pipes
 Thermoformed edges
 Hygienic PVC finish
 Mount accessories

Available in either a suspended or plinth version. Configurable services include power, data, nurse call systems and more.



Discover more at trovex.com/hygipod-msu



Get in touch

We want to contribute to the success of your future projects. Our dedicated Project Consultants are available to discuss how Trovex can work best for you.

For further information, product recommendations or technical advise on any Trovex product please get in touch today.

hello@trovex.com 01707 254 170

Trovex.com



© 2024 Focus Trovex LLP. All rights reserved.

Trovex reserves the right to alter specification and designs without prior notice. All subject to Focus Trovex LLP standard terms and conditions. Limitations in the reproduction of colours means absolute colour accuracy is not guaranteed. Where colour matching is critical, please request samples.



Trovex is a registered trademark of Focus Trovex LLP (typic) Innova House, 15 Rash's Green, Norfolk, NR19 1JG